Author Index

Arzate, O. R., 1	Karmazin, L., L	Priester, L., 117
	Kim, S. A., 87	D 47.55
Bande, H., 75	Kroupa, A., L	Reger, M., 47, 55
Brittain, J. O., 99	Kurzydlowski, K. J., 221	Remy, L., 47, 55
211111111, 0. 0., >>		Reppich, B., 171
Chatterjee, A., 161	Laird, C., L1	
Chaudhury, P. K., 13	Ledbetter, H. M., 87	Sato, A., 25
Chen, S. C., 99	Lee, J. K., 183	Schumann, G., 171
	L'Espérance, G., 75	Shen, P., 143
Cowper, W. G., 201		Shih, C. K., 65
	Mahajan, S., v	Solberg, J. K., 39
Delamore, G. W., 135	Martinez, L., 1	Spitzig, W. A., 161
Dickson, J. I., 75	McDarmaid, D. S., 193	Suzuki, K., 109
Donoso, E., 231	McQueen, H. J., 149	Suzuki, K., 109
El-M'Rabat, B., 117	Mohamed, F. A., 13	Takeuchi, S., 109
	Molinari, A., 125	Tarczon, J. C., 99
	Mori, T., 25	Tiziani, A., 125
		11211111, 11, 120
Gan, D., 143	Nakahara, S., 227	Varia D A 221
Ghosh, G., 213	Nanba, S., 31	Varin, R. A., 221
Gibson, M. A., 135	Nembach, E., 109	W 1 1 1 224
Gloson, W. 71., 133		Varschavsky, A., 231
	Obrtlík, K., 7	
Halperin, W. P., 99	Ohring, M., 201	Wang, Z., L1
Helešic, J., 7	Oikawa, H., 31	Watanabe, Y., 25
Hwang, KH., 183	Okinaka, Y., 227	Werner, E., 93
Hwang, S. L., 143	Ozaki, K., 25	
		Xiao, Y., 65
	Plichta, M. R., 183	
Ichihara, M., 109	Polák, J., 7	Yang, Z., 65
		-



Subject Index

Aging

effect of natural aging on the tensile properties of the Al-Li alloys 8090, 8091 and 2091, 193

Alloy

creep characteristics of an Al-2wt.%Cu alloy in the solid solution range, 13

effect of natural aging on the tensile properties of the Al-Li alloys 8090, 8091 and 2091, 193

fracture mode transitions in hydrogenated V-10at.%Ti alloys under cyclic deformation, 161

grain-size-gradient nickel alloys

I: Fabrication and tensile properties, 183

internal friction due to $\varepsilon \rightarrow \gamma$ reverse transformation in an Fe-Mn-Si-Cr shape memory alloy, 25

order strengthening in α -Cu-Al alloys as influenced by grain size and solute content, 231

solid solution and grain size hardening of nitrogen-alloyed austenitic steels, 93

solute effects in very dilute ternary Cu-Mn-Se alloys, 201 the metastable quasi-binary phase diagram of low-alloy steels having an increased manganese and silicon content, L7

Aluminium

creep characteristics of an Al-2wt.%Cu alloy in the solid solution range, 13

order strengthening in α -Cu-Al alloys as influenced by grain size and solute content, 231

vacancy-antistructure defect interaction diffusion in β -LiAl and β -LiIn, 99

Aluminized coatings

defect microstructure in aluminized coatings, 143

Austenitic steel

solid solution and grain size hardening of nitrogen-alloyed austenitic steels, 93

the effects of nitrogen content and twin boundaries on the yield strength of various commercial heats of type 316 austenitic stainless steel, 221

Carbon

fatigue crack initiation in quenched low carbon steel microstructures, 39

Chromium

internal friction due to $\varepsilon \rightarrow \gamma$ reverse transformation in an Fe-Mn-Si-Cr shape memory alloy, 25

Cobal

high voltage electron microscopy in situ study of dislocation processes in copper hardened by cobalt-rich precipitates which have a lattice mismatch, 109

the role of cobalt in the high temperature creep of γ' strengthened nickel-based superalloys, 65

Copper

creep characteristics of an Al-2wt.%Cu alloy in the solid solution range, 13

high voltage electron microscopy in situ study of dislocation processes in copper hardened by cobalt-rich precipitates which have a lattice mismatch, 109 loop patch orientations in the matrix structure of cyclically deformed copper, 75

low temperature elastic constants of deformed polycrystalline copper, 75

nucleation stress for persistent slip bands in fatigued copper single crystals, 7

order strengthening in α -Cu-Al alloys as influenced by grain size and solute content, 231

solute effects in very dilute ternary Cu-Mn-Se alloys, 201 the hydrogen effect in copper, 227

Creep

creep characteristics of an Al-2wt.%Cu alloy in the solid solution range, 13

effects of the solute concentration on the deformation characteristics of Fe-Mo solid solutions in the power-law creep regime at 1100 K, 31

the role of cobalt in the high temperature creep of γ' strengthened nickel-based superalloys, 65

Creep cavitation

creep cavitation in type 321 stainless steel, 1

Crystallization

crystallization of iron-based metallic glasses: the coupled zone concept, 135

Cyclic deformation

relationship between loading process and Masing behavior in cyclic deformation, L1

Defects

defect microstructure in aluminized coatings, 143

vacancy-antistructure defect interaction diffusion in β -LiAl and β -LiIn, 99

Deformation

effects of the solute concentration on the deformation characteristics of Fe-Mo solid solutions in the power-law creep regime at 1100 K, 31

fracture mode transitions in hydrogenated V-10at.%Ti alloys under cyclic deformation, 161

Diffusion

vacancy-antistructure defect interaction diffusion in β -LiAl and β -LiIn, 99

Dislocation

high voltage electron microscopy in situ study of dislocation processes in copper hardened by cobalt-rich precipitates which have a lattice mismatch, 109

Elastic constants

low temperature elastic constants of deformed polycrystallline copper, 75

Electron microscopy

electron microscopy of γ' particles in nickel-based superalloys, 171

high voltage electron microscopy in situ study of dislocation processes in copper hardened by cobalt-rich precipitates which have a lattice mismatch, 109

Fatigue

high temperature, low cycle fatigue of IN-100 superalloy
I: Influence of temperature on the low cycle fatigue

behaviour, 47

II: Influence of frequency and environment at high temperatures, 55

nucleation stress for persistent slip bands in fatigued copper single crystals, 7

Fatigue crack

fatigue crack initiation in quenched low carbon steel microstructures, 39

Fracture

fracture mode transitions in hydrogenated V-10at.%Ti alloys under cyclic deformation, 161

Friction

internal friction due to $\varepsilon \rightarrow \gamma$ reverse transformation in an Fe-Mn-Si-Cr shape memory alloy, 25

Glasses

crystallization of iron-based metallic glasses: the coupled zone concept, 135

Grain boundaries

influence of phosphorus on the texture of grain boundaries in iron, 117

Grain size

grain-size-gradient nickel alloys

I: Fabrication and tensile properties, 183

order strengthening in α -Cu-Al alloys as influenced by grain size and solute content, 231

solid solution and grain size hardening of nitrogen-alloyed austenitic steels, 93

Hardening

high voltage electron microscopy in situ study of dislocation processes in copper hardened by cobalt-rich precipitates which have a lattice mismatch, 109

solid solution and grain size hardening of nitrogen-alloyed austenitic steels, 93

Heat treatments

improvement of AISI D2 steel properties of unconventional vacuum heat treatments, 125

High temperature

high temperature, low cycle fatigue of IN-100 superalloy

I: Influence of temperature on the low cycle fatigue behaviour, 47

II: Influence of frequency and environment at high temperatures, 55

the role of cobalt in the high temperature creep of γ' strengthened nickel-based superalloys, 65

Hydrogen

the hydrogen effect in copper, 227

Indium

vacancy-antistructure defect interaction diffusion in β -LiAl and β -LiIn, 99

Iron

crystallization of iron-based metallic glasses: the coupled zone concept, 135

effects of the solute concentration on the deformed characteristics of Fe-Mo solid solutions in the power-law creep regime at 1100 K, 31

influence of phosphorus on the texture of grain boundaries in iron, 117

internal friction due to $\varepsilon \rightarrow \gamma$ reverse transformation in an Fe-Mn-Si-Cr shape memory allow 25

Lattice mismatch

high voltage electron microscopy in situ study of dislocation processes in copper hardened by cobalt-rich precipitates which have a lattice mismatch, 109

Lithium

effect of natural aging on the tensile properties of the Al-Li alloys 8090, 8091 and 2091, 193

vacancy-antistructure defect interaction diffusion in β -LiAl and β -LiIn, 99

Manganese

internal friction due to $\varepsilon \rightarrow \gamma$ reverse transformation in an Fe-Mn-Si-Cr shape memory alloy, 25

solute effects in very dilute ternary Cu-Mn-Se alloys, 201 the metastable quasi-binary phase diagram of low-alloy steels having an increased manganese and silicon content, L7

Martensite

spread of transformation and plate dimensions of isothermally formed martensite, 213

Masing behavior

relationship between loading process and Masing behavior in cyclic deformation, L1

Molybdenum

effects of the solute concentration on the deformation characteristics of Fe-Mo solid solutions in the power-law creep regime at 1100 K, 31

Nickel

electron microscopy of γ' particles in nickel-based superalloys, 171

grain-size-gradient nickel alloys

I: Fabrication and tensile properties, 183

the role of cobalt in the high temperature creep of γ' strengthened nickel-based superalloys, 65

Nitrogen

solid solution and grain size hardening of nitrogen-alloyed austenitic steels, 93

the effects of nitrogen content and twin boundaries on the yield strength of various commercial heats of type 316 austenitic stainless steel, 221

Nucleation

initiating nucleation of dynamic recrystallization, primarily in polycrystals, 149

Nucleation stress

nucleation stress for persistent slip bands in fatigued copper single crystals, 7

Orientations

loop patch orientations in the matrix structure of cyclically deformed copper, 75

Persistent slip bands

nucleation stress for persistent slip bands in fatigued copper single crystals, 7

Phosphorus

influence of phosphorus on the texture of grain boundaries in iron, 117

Polycrystals

initiating nucleation of dynamic recrystallization, primarily in polycrystals, 149

Recrystallization

initiating nucleation of dynamic recrystallization, primarily in polycrystals, 149

Selenium

solute effects in very dilute ternary Cu-Mn-Se alloys, 201 Silicon

internal friction due to $\varepsilon \rightarrow \gamma$ reverse transformation in an Fe-Mn-Si-Cr shape memory alloy, 25

the metastable quasi-binary phase diagram of low-alloy steels having an increased manganese and silicon content, L7

Solute content

order strengthening in α -Cu-Al alloys as influenced by grain size and solute content, 231

Solute effects

solute effects in very dilute ternary Cu-Mn-Se alloys, 201

creep cavitation in type 321 stainless steel, 1

fatigue crack initiation in quenched low carbon steel microstructures, 39

improvement of AISI D2 steel properties of unconventional vacuum heat treatments, 125

the effects of nitrogen content and twin boundaries on the yield strength of various commercial heats of type 316 austenitic stainless steel, 221

the metastable quasi-binary phase diagram of low-alloy steels having an increased manganese and silicon content, L7

Strengthening

order strengthening in α -Cu-Al alloys as influenced by grain size and solute content, 231

the role of cobalt in the high temperature creep of γ' strengthened nickel-based superalloys, 65

Superalloy

electron microscopy of γ' particles in nickel-based superalloys, 171

high temperature, low cycle fatigue of IN-100 superalloy
I: Influence of temperature on the low cycle fatigue behaviour, 47

II: Influence of frequency and environment at high temperatures, 55

the role of cobalt in the high temperature creep of γ' strengthened nickel-based superalloys, 65

Tensile properties

effect of natural aging on the tensile properties of the Al-Li alloys 8090, 8091 and 2091, 193

grain-size-gradient nickel alloys

I: Fabrication and tensile properties, 183

Titanium

fracture mode transitions in hydrogenated V-10at.%Ti alloys under cyclic deformation, 161

Twin boundaries

the effects of nitrogen content and twin boundaries on the yield strength of various commercial heats of type 316 austenitic stainless steel, 221

Vanadium

fracture mode transitions in hydrogenated V-10at.%Ti alloys under cyclic deformation, 161



